

Contents

Letters to the Editor

- G 299.2-2.9: a new galactic supernova remnant
Busser J.-U., Egger R., Aschenbach B.
- The nucleus of M 81: a giant version of Sagittarius A
Reuter H.-P., Lesch H.
- Cellular automaton models of solar flare occurrence
MacKinnon A.L., Macpherson K.P., Vlahos L.
- Accurate determination of the projected rotational velocity of 51 Pegasi
François P., Spite M., Gillet D., Gonzalez J.-F., Spite F.
- What happened to comet 73 P/Schwassmann-Wachmann 3?
Crovisier J., Bockelée-Morvan D., Gérard E., Rauer H., Biver N., Colom P., Jorda L.
- Hipparcos distances and mass limits for the planetary candidates: 47 Ursae Majoris, 70 Virginis, and 51 Pegasi
Perryman M.A.C., Lindegren L., Arenou F., Bastian U., Bernstein H.H., van Leeuwen F., Schrijver H., Bernacca P.L., Evans D.W., Falin J.L., Froeschlé M., Grenon M., Hering R., Høg E., Kovalevsky J., Mignard F., Murray C.A., Penston M.J., Petersen C.S., Le Poole R.S., Söderhjelm S., Turon C.
- A new soft intermediate polar: RX J0512.2-3241 in Columba
Burwitz V., Reinsch K., Beuermann K., Thomas H.-C.
- Simultaneous H α , Na I D₁, D₂, and He I D₃ observations of a flare on the RS Canum Venaticorum system UX Arietis
Montes D., Sanz-Forcada J., Fernández-Figueroa M.J., Lorente R.
- Infrared lines as probes of solar magnetic features. XII. Magnetic flux tubes: evidence of convective collapse?
Solanki S.K., Zufferey D., Lin H., Rüedi I., Kuhn J.R.

Cosmology

- Observations of weak lensing in the fields of luminous radio sources
Fort B., Mellier Y., Dantel-Fort M., Bonnet H., Kneib J.-P.

Extragalactic astronomy

- Rapid optical variability in the BL Lacertae object AO 0235+164
Rabbette M., McBreen B., Steel S., Smith N.

- The ESO Nearby Abell Cluster Survey. I. Description of the dataset and definition of physical systems
Katert P., Mazure A., Perea J., den Hartog R., Moles M., Le Fèvre O., Dubath P., Focardi P., Rhee G., Jones B., Escalera E., Biviano A., Gerbal D., Giuricin G. 8
- The ESO Nearby Abell Cluster Survey. II. The distribution of velocity dispersions of rich galaxy clusters
Mazure A., Katert P., den Hartog R., Biviano A., Dubath P., Escalera E., Focardi P., Gerbal D., Giuricin G., Jones B., Le Fèvre O., Moles M., Perea J., Rhee G. 31
- The broad line regions of NGC 4151
Cassidy I., Raine D.J. 49
- Multiband VLBI observations of CTA 102
Rantakyö F.T., Bååth L.B., Dallacasa D., Jones D.L., Wehrle A.E. 66
- Disk structure and kinematics of S0 galaxies
Seifert W., Scorza C. 75
- CO emission associated with dust clouds in the inner disk of M 31
Loinard L., Allen R.J., Lequeux J. 93
- Redshift periodicity in the Local Supercluster
Guthrie B.N.G., Napier W.M. 353
- ROSAT PSPC spectra of six PG quasars and PHL 1657
Rachen J.P., Mannheim K., Biermann P.L. 371
- (RN) PKS 1349-439 and Q 1349-439
Véron P. 381
- Four new active galaxies with steep soft X-ray spectra
Greiner J., Danner R., Bade N., Richter G.A., Kroll P., Komossa S. 384
- The analysis of the barred galaxy NGC 6701
Márquez I., Moles M., Masegosa J. 401
- Distance calibration for E-galaxies. I. Elliptical calibrators
García A.M., Fournier A., di Nella H., Patrel G. 412
- Misalignment and curvature effects in extragalactic radio sources
Appl S., Sol H., Vicente L. 419
- The Tucana dwarf Galaxy
Castellani M., Marconi G., Buonanno R. 715
- The distance of the isolated Magellanic-type galaxy NGC 1156
Karachentsev I., Musella I., Grimaldi A. 722
- Cold dust and molecular line emission in NGC 4565
Neininger N., Guélin M., García-Burillo S., Zylka R., Wielebinski R. 725

The rotation curve of the cluster galaxy DC 1842-62 No. 24 does not decrease

Amram P., Balkowski C., Boulesteix J., Cayatte V., Marcelin M., Sullivan III W.T.

737

On the evolution of iron and oxygen abundances in the Large Magellanic Cloud

Pilyugin L.S.

Dynamical friction in head-on galaxy collisions. II. N-body simulations of radial and non-radial encounters

Séguin P., Dupraz C.

Galactic structure and dynamics

The dynamics of planetary nebulae in the Galaxy. Evidence for a third integral

Durand S., Dejonghe H., Acker A.

The evolution of D and ³He in the Galactic disk

Prantzos N.

Where are the hot horizontal branch stars in the Galactic Bulge?

Bertelli G., Bressan A., Chiosi C., Ng Y.K.

The chemical composition towards the galactic anti-centre. II. Differential abundance analyses and distance determinations

Smartt S.J., Dufton P.L., Rolleston W.R.J.

Alpha-tensor and diffusivity tensor due to supernovae and superbubbles in the Galactic disk near the Sun

Ferrière K.

The galactic structure towards the Galactic Centre. III. A study of Baade's Window: discovery of the bar population?

Ng Y.K., Bertelli G., Chiosi C., Bressan A.

Stellar clusters and associations

ROSAT X-ray observations of the young cluster IC 348

Preibisch T., Zinnecker H., Herbig G.H.

Formation, structure and evolution of stars

(RN) VLA observations of the magnetic cataclysmic variable BY Camelopardalis

Mason P.A., Fisher P.L., Chanmugam G.

A study on pulsar inner-gap sparking comparing inverse Compton scattering and curvature radiation processes

Zhang B., Qiao G.J.

Variability of classical T Tauri stars. Its relation to the accretion process

Fernández M., Eiroa C.

The early-type multiple system η Orionis. II. Line profile variations in component Ab

De Mey K., Aerts C., Waelkens C., Van Winckel H.

Rotational modulation and flares on RS Canum Venaticorum and BY Draconis stars. XIX. Simultaneous IUE, ROSAT, VLA, and visual observations of TY Pyxidis

Neff J.E., Pagano I., Rodonò M., Brown A., Dempsey R.C., Fox D.C., Linsky J.L.

The β Pictoris circumstellar disk. XXII. Investigating the model of multiple cometary infalls

Beust H., Lagrange A.-M., Plazy F., Mouillet D.

The masing environment of star-forming object IRAS 00338+6312: Disk, outflow, or both?

Fiebig D., Duschl W.J., Menten K.M., Tscharnuter W.M.

Spectropolarimetry of symbiotic stars. On the binary orbit and the geometric structure of V 1016 Cygni

Schild H., Schmid H.M.

211

On the internal dynamics of turbulent plumes in the context of stellar convection

Bonin P., Rieutord M.

221

Further characteristics of the young triple system TY Coronae Austrinae

Corporon P., Lagrange A.M., Beust H.

228

Spectropolarimetric orbits of symbiotic stars: SY Muscae

Harries T.J., Howarth I.D.

235

Search for neutron star spin periods in X-ray bursts

Jongert H.C., van der Klis M.

474

Absorption line profiles in the early development of nova V 1500 Cygni

Friedjung M., Mikolajewska J., Mikolajewski M.

477

Three-body crystallization diagrams and the cooling of white dwarfs

Segretain L.

485

The Scenario Machine: restrictions on key parameters of binary evolution

Lipunov V.M., Postnov K.A., Prokhorov M.E.

489

Probability imaging of a few double stars from one-dimensional near-infrared speckle data

Carillet M., Ricort G., Aime C., Perrier C.

508

The influence of a magnetic field of the secondary star on dwarf nova outbursts

Meyer-Hofmeister E., Vogt N., Meyer F.

519

On the link between coronal activity and orbital period in evolved binary stars

Melo C.H.F., De Medeiros J.R.

797

ROSAT X-ray observations of a complete, volume-limited sample of late-type giants

Hünsch M., Schmitt J.H.M.M., Schröder K.-P., Reimers D.

801

Hybrid stars and the reality of "dividing lines" among G to K bright giants and supergiants

Reimers D., Hünsch M., Schmitt J.H.M.M., Toussaint F.

813

Infrared and millimeter observations of the galactic superluminous source GRS 1915+105

Chaty S., Mirabel I.F., Duc P.A., Wink J.E., Rodríguez L.F.

825

CCD photometry of a δ Scuti variable in an open cluster: V 650 Tau in the Pleiades

Kim S.-L., Lee S.-W.

831

Combined stellar structure and atmosphere models for massive stars. I. Interior evolution and wind properties on the main sequence

Schaerer D., de Koter A., Schmutz W., Maeder A.

837

A search for multiperiodic line profile variations in the Be star 48 Librae

Floquet M., Hubert A.M., Hubert H., Janot-Pacheco E., Caillet S., Leister N.V.

849

SIGMA hard X-ray observations of the Galactic Bulge source SLX 1735-269

Goldwurm A., Vargas M., Paul J., Faisse S., Bouchet L., Borrel V., Roques J.P., Mandrou P., Sunyaev R., Churazov E., Gilfanov M., Khavenson N., Dyachkov A., Shekhet A., Kremnev R., Kovtunen V.

857

The 218-day period of the peculiar late B-type star HD 101584

Bakker E.J., Lamers H.J.G.L.M., Waters L.B.F.M., Waelkens C.

Stellar atmospheres

The ORFEUS FUV spectrum of the WN5 star EZ Canis Majoris

Mandel H., Appenzeller I., Barnstedt J., Götz M., Grewing M., Gringel W., Haas C., Hopfensitz W., Kappelmann N., Krämer G., Krautter J.

Atmospheric models of flare stars: the flaring state of AD Leonis

Mauas P.J.D., Falchi A.

The unusual circumstellar environment of the evolved star, U Equulei

Barnbaum C., Omont A., Morris M.

The radio spectrum of magnetic chemically peculiar stars

Leone F., Umana G., Trigilio C.

The chemical composition of the field blue stragglers

Andrievsky S.M., Chernyshova I.V., Kovtyukh V.V.

Determination of mass flow rates in AM Herculis binaries. I. General method and application to UZ Fornacis

Rousseau T., Fischer A., Beuermann K., Woelk U.

Linear spectropolarimetry of the H α emission line of ζ Pup-pis

Harries T.J., Howarth I.D.

The β Pictoris circumstellar disk. XXI. Results from the December 1992 spectroscopic campaign

Lagrange A.-M., Plazy F., Beust H., Mouillet D., Deleuil M., Ferlet R., Spyromilio J., Vidal-Madjar A., Tobin W., Hearnshaw J.B., Clark M., Thomas K.W.

Metal line strengths of blue stragglers towards the young galactic association Perseus OB 1

Kendall T.R., Dufton P.L., Lennon D.J.

ROSAT X-ray observations of the Wolf-Rayet star HD 50896 (WN 5)

Willis A.J., Stevens I.R.

Fm-Am stars in open clusters as a tool for stellar physics

Alecian G.

Lithium abundance in binaries of the Hyades open cluster

Barrado y Navascués D., Stauffer J.R.

Detection of C $_2$, CN, and NaID absorption in the AGB remnant of HD 56126

Bakker E.J., Waters L.B.F.M., Lamers H.J.G.L.M., Trams N.R., Van der Wolf F.L.A.

Flare energetics: analysis of a large flare on YZ Canis Minoris observed simultaneously in the ultraviolet, optical and radio

van den Oord G.H.J., Doyle J.G., Rodonò M., Gary D.E., Henry G.W., Byrne P.B., Linsky J.L., Haisch B.M., Pagano I., Leto G.

A first optical spectroscopic monitoring of the post-AGB star SAO 96709 = IRAS 07134+1005: pulsation and shock waves

Lèbre A., Mauron N., Gillet D., Barthès D.

Quantitative analysis of carbon isotopic ratios in carbon stars. I. 62 N-type and 15 SC-type carbon stars

Ohnaka K., Tsuji T.

Bipolar flow in a slowly expanding circumstellar envelope around X Herculis

Kahane C., Jura M.

Diffuse matter in space (including H II regions and planetary nebulae)

861 The filamentary structure of the interface between the atomic and the molecular phases in NGC 7023

Fuente A., Martín-Pintado J., Neri R., Rogers C., Moriarty-Schieven G.

286

Far-infrared emission of PAH molecules (14–40 μ m): a preparation for ISO spectroscopy

Moutou C., Léger A., d'Hendecourt L.

297

The optical jet of RW Aurigae: excitation temperature and ionization state from long-slit spectra

Bacciotti F., Hirth G.A., Natta A.

309

The ionization fraction in dense clouds

de Boisanger C., Helmich F.P., van Dishoeck E.F.

315

FUV irradiated molecular clumps: spherical geometry and density gradients

Störzer H., Stutzki J., Sternberg A.

592

The shaping of aging planetary nebulae

Xilouris K.M., Papamastorakis J., Paleologou E., Terzian Y.

603

277 Spectral analysis of the multiple-shell planetary nebula LoTr 4 and its very hot hydrogen-deficient central star

Rauch T., Köppen J., Werner K.

613

Near-IR imaging and spectroscopy of DR 21: a case for supersonic turbulence

Davis C.J., Smith M.D.

961

533 (RN) A search for HCCN in molecular clouds

McGonagle D., Irvine W.M.

970

The Sun

547 A search for formation-height oscillations in umbrae

Berger B., Balthasar H., Schleicher H., Wiehr E., Wöhl H.

328

564 The Sun as a polarimetric variable star

Clarke D., Fullerton S.R.

331

577 Erratum: Stationary subalfvénic and low- β MHD flows in solar coronal loops and arcades

Surlantzis G., Démoulin P., Heyvaerts J., Sauty C.

351

872 Proton transport in a magnetic loop and H α impact line linear polarization

Karlický M., Hénoux J.-C., Smith D.

629

Sunspot irradiance deficit, facular excess, and the energy balance of solar active regions

Steinogger M., Brandt P.N., Haupt H.F.

635

893 A nonlinear prediction of the smoothed monthly sunspot numbers

Zhang Q.

646

Determination of the line structure in solar p -mode frequency spectra. IPHIR data analysis

Gavryusev V.G., Gavryuseva E.A.

651

908 The height distribution of non-thermal X-ray sources in impulsive solar flares

Fletcher L.

661

Are solar flares random processes?

Isliker H.

672

Dynamics of the solar granulation. V. The intergranular space

Nesis A., Hammer R., Hanslmeier A., Schleicher H., Sigwarth M., Staiger J.

973

Diffusion near the solar core

Morel P., Schatzman E.

982

The solar system

The Hoffmeister asteroid family: inferences from physical data

Migliorini F., Manara A., Di Martino M., Farinella P. 681

Evolution of the orbit of comet 46 P/Wirtanen during 1947–2013

Królikowska M., Sitarski G. 992

Signatures of collisions in the Kuiper Disk

Stern S.A. 999

Thermal physics of asteroids. I. Effects of shape, heat conduction and beaming

Lagerros J.S.V. 1011

Celestial mechanics and astrometry

Comparative study of the asteroidal motion in the 3:2 and 2:1 resonances with Jupiter. II. Three-dimensional model

Michtchenko T.A., Ferraz-Mello S. 1021

Results from the solar observations with astrolabes

Penna J.L., Benevides-Soares P., Andrei A.H., Laclare F., Leister N.V. 1036

Physical and chemical processes

Exact solutions for symmetric magnetohydrodynamic equilibria with mass flow

Del Zanna L., Chiuderi C. 341

Electromagnetic scattering by compact clusters of spheres

Rouleau F. 686

Preview of accepted papers (May 1996)

1043

Abstracts of articles which have been published in A&A Supplement Series 117, No. 1

699

Penetrating the "zone of avoidance". II. Optically detected galaxies in the region $180^\circ \leq l \leq 240^\circ$

Seeberger R., Saurer W., Weinberger R. 699

A simple method to compute white dwarf luminosity functions

García-Berro E., Hernanz M., Isern J., Chabrier G., Segretain L., Mochkovitch R. 699

Structure analysis of edge-on spiral galaxies

de Grijs R., van der Kruit P.C. 699

Far-infrared properties of Hickson compact groups of galaxies. I. High resolution IRAS maps and fluxes

Allam S., Assendorp R., Longo G., Braun M., Richter G. 700

Rotation of solar-like main sequence stars

Śtepień K., Geyer E. 700

Spectra of late-type stars from 4800 to 9000 Å

Serote Roos M., Boisson C., Joly M. 700

TU Bootis: an ambiguous W Ursae Majoris system

Niarchos P.G., Hoffmann M., Duerbeck H.W. 701

Evolutionary sequences of stellar models with new radiative opacities. VI. $Z = 0.0001$

Girardi L., Bressan A., Chiosi C., Bertelli G., Nasi E. 701

Stark broadening of solar MgI lines

Dimitrijević M.S., Sahal-Bréchet S. 701

X-ray all-sky monitoring and transient detection using a coded sphere telescope

Bird A.J., Merrifield M.R. 701

Understanding radio polarimetry. I. Mathematical foundations

Hamaker J.P., Bregman J.D., Sault R.J. 702

Understanding radio polarimetry. II. Instrumental calibration of an interferometer array

Sault R.J., Hamaker J.P., Bregman J.D. 702

Understanding radio polarimetry. III. Interpreting the IAU/IEEE definitions of the Stokes parameters

Hamaker J.P., Bregman J.D. 702

Optical design, modelling and tolerancing of a Fizeau interferometer dedicated to astrometry

Loiseau S., Shaklan S. 702

Digital stacking of Tech Pan films and the photometry of faint galaxies

Schwartzberg J.-M., Philipps S., Parker Q. 703

An efficient method for dealing with line haze in stellar spectra

Larson A.M., Irwin A.W. 703

Parameter estimation in epoch folding analysis

Larsson S. 703

Erratum: Astrometry with the Digitized Sky Survey. Position of 790 AGNs

Véron-Cetty M.-P., Véron P. 704

